©copyright www.dieselpunk.ro

Assembly instructions

www.dieselpunk.ro

Difficulty level:	beginner
Completion Time	6-10 hours

©copyright www.dieselpunk.ro

NECESSARY TOOLS

©copyright www.dieselpunk.ro

B&W Printer

Scissors or a cutter

Hole Puncher

5 square feet of leather

DIESELPUNK.RO
www.dieselpunk.ro

Thread and needles

©copyright www.dieselpunk.ro

PRINTING THE PATTERN

Set up your printer to A4 paper with no margins on landscape mode.

Alternatively you can use "letter" format which is approximately the same size and will not impact the size of the product

©copyright www.dieselpunk.ro
DIESELPUNK.RO
www.dieselpunk.ro
©copyright www.dieselpunk.ro

LETS START!

©copyright www.dieselpunk.ro

Step 1: print your patterns

DIESELPUNK.RO
www.dieselpunk.ro

Step 2: Cut out all the parts and paste them as shown in the picture below.

©copyright www.dieselpunk.ro

Use these templates to cut the leather and make the stitching holes. As always with any of my patterns

EVERY STITCHING HOLE is precisely placed and necessary. The more accurate you mark them and make them the better the stitching will be
After you are done you should have 10 straps, 10 buckle straps and 6 main pieces

©copyright www.dieselpunk.ro

Step 3: There are only two stitches for each hand. Use the colours to guide you where the parts need to be stitched together. Eg: red to red and green to green.

For the stitching along the green holes I use a simple stitching technique called “saddle stitching”
A good tutorial to learn this you can find here: www.youtube.com/watch?v=JW6JFGIblZI

©copyright www.dieselpunk.ro

For the stitching along the red holes I use a more complicated stitching technique called “cross stitching” You will need leather at least 2,5 mm thick, or 6 oz for this to come out nicely

You can find a good tutorial to learn cross stitching here: www.youtube.com/watch?v=fMwpsy7YuWA

See below this stitching applied here, inside and outside

©copyright www.dieselpunk.ro

Before you go to the next step you should have something identical to this:

DIESELPUNK.RO
www.dieselpunk.ro

Step 4: we can now attach the straps and the buckles. There are 5 straps for tightening the bracers and 5 to attach the buckles for each hand

Use whatever rivets you like or have available. Alternatively you can stitch these in place if you want a different design

©copyright www.dieselpunk.ro

Use the images below to help you place them corectly

©copyright www.dieselpunk.ro

When done, you should have something like this:

©copyright www.dieselpunk.ro
DIESELPUNK.RO
www.dieselpunk.ro

You can go ahead and try it on see how it fits.

©copyright www.dieselpunk.ro

After this step you finished the left hand. Time for a cup of coffee
before moving on to the right one!

©copyright www.dieselpunk.ro

Last Step: Pretty obvious, you now need to open the pattern for the right hand and repeat everything once again.

DIESELPUNK.RO
www.dieselpunk.ro

YOUR BRACERS ARE READY!!!

Would love to see what you did, so please share or leave a review on Etsy.
Stuck and need help? go ahead and send us a message, someone is always around to give you a hand

Thank you for constructing your hat with our patterns

Tony

©copyright www.dieselpunk.ro