

INSTRUCTION




[www. leatherdiypattern.com](http://www.leatherdiypattern.com)



1

Prepare piece 1





Prepare 34cm rubber cord (8mm)

















Apply leather glue












Punch stitching holes (Recommended interval for stitching holes: 4mm)









Sanding the edge





Edge Burnisher








2



Adding decorative lines
Electric Creasing & Edging Machine






Install zipper


















Prepare piece 4 (I cut them a bit longer)





5

Prepare piece 5 and mark the location of piece 4





4


Apply glue on the back side of Piece 4










Prepare piece 6





Punch stitching holes (3mm)





Sew piece 6 to piece 5&4



Sew both sides



A close-up photograph of a piece of brown leather, likely for a book cover or folder. The leather is a medium brown color with a slightly textured surface. It features several parallel, diagonal white lines, which appear to be hand-stitched or painted, running from the top left towards the bottom right. The leather is placed on a light-colored surface with a faint grid pattern. A large, white, bold number '7' is overlaid on the left side of the leather piece.

7

**Prepare piece 7
(I also use 2oz/0.8mm Vegan leather as lining)**

Glue piece 7 to the lining back to back








Trim the excessive portion









8





9


















5

7








4


4

10
















5

10











11




























Glue piece 11 to the lining







I prepare piece 13 a bit longer

11.

13





13



Trim the excessive portion






14















Cut the rounded corners all together



Sewing piece 2, 14&5 together








Sew the gusset to the main body





Repeat the steps with the other side





Edge finish




Edge finish



Edge finish






15

15


15






4mm interval

15



Edge finish





16

Prepare shoulder straps
































Project complete

If you have any questions about the steps,
please feel free to send me a message!
For more patterns, please visit
www.leatherdiypattern.com

