




www.leathercraftpattern.com




www.leathercraftpattern.com





ACC-38 Zipper strengthen leather connectors x2
A07
Note: 2.0mm leather is advised.




A10 Orienting line


A10 Orienting line




www.leathercraftpattern.com




ACC-38
LCP Design
A0 print 1:1



www.leathercraftpattern.com






icrew

A08 Orienting line

www.leathercraftpattern.com



A09 Orienting line


A1:

ACC-38 Main body x1
A01


Note: 2.0mm leather is advised.

A03 Orienting line

Align the yellow,
and red circles to



www.leathercraftpattern.com



mm
kle




ACC-38 Shoulder belt x1
A17


Note: 2.5mm leather is advised.



www.leathercraftpattern.com

www.leathercraftpattern.com





Foot nails


Foot nails

Foot nails

A02 Orienting line

Align the yellow,
and red circles to



www.leathercraftpattern.com





www.leathercraftpattern.com

www.leathercraftpattern.com



A08 Orienting line

A07 Orienting line

crew

www.leathercraftpattern.com





A

Note:
500





1.2mm leather is advised.

MAXIMAL FIDELITY OF THE DEDUCTION OF THE CONSEQUENT





www.leathercraftpattern.com



www.leathercraftpattern.com



www.leathercraftpattern.com



m YKK N05 or RIKI M6 zipper is advised.




A05 Orienting line



www.leathercraftpattern.com



www.leathercraftpattern.com



www.leathercraftpattern.com



www.leathercraftpattern.com




www.leathercraftpattern.com

ACC-38 Internal pocket A back l A13


Note: 1.2mm leather is advised

www.leathercraftpattern.com




leather x1

1.




www.leathercraftpattern.com





www.leathercraftpattern.com

ACC-38
LCP Design
A0 print 1:1



www.leathercraftpattern.com





ACC-38 Internal pocket B back
A15

Note: 1.2mm leather is advis

ACC-38 Interr

Note: 1.21



leather x1

ed.


A16 Orienting line

nal pocket A front leather x1
A14

mm leather is advised.



www.leathercraftpattern.com


www.leathercraftpattern.com




www.leathercraftpattern.com

www.leathercraftpattern.com






www.leathercraftpattern.com




Note: 2.5mm leather is advised.



Note: 2.5mm leather is advised.

ACC-38 Internal pocket B front leather x1 A16


Note: 1.2mm leather is advised.
260mm YKK No.3 or RIRI M4 zipper is advised.



www.leathercraftpattern.com


www.leathercraftpattern.com








www.leathercraftpattern.com





www.leathercraftpattern.com





www.leathercraftpattern.com



www.leathercraftpattern.com



ACC-38 E



Note: 1.0m

www.leathercraftpattern.com

external bottom x1
A02

m leather is advised.



www.leathercraftpattern.com

ACC-38 Mobile internal bottom x2

A06

Note: 2.0mm leather is advised, cut 2 pieces, whole glue and stitch with each other flesh side to flesh side. You can also use a piece of plastic board as replacement.

www.leathercraftpattern.com

www.leathercraftpattern.com