



Instruction



Step 1: Glue and sew A02 on right place according to the orienting line, then install 5 foot nails, after that, glue and paste 2 pieces of A03 on right places according to the orienting lines. Also please glue A09 on right place but only sew the arc stitching line.



Step 2, Glue and sew A05 on A04 and then install the zipper, after do that, sew A04 with 2 pieces of A07, you should take notice that, you should align the green squares together





Step 3, Fold A14's top edge and stitch a line to get a round edge, in clothes making industry, it named seam allowance. Sew A14 on A13 to get pocket A. Install zipper on A16 and sew A16 with A15 to have inner pocket B.



Step 4, Handle making. This step need you understand the handle's construction well. Please look at picture carefully. Let me introduce you how to do that:


First, thin the 2 tips of A11, I marked as shadow area, then put 20mm square rings in and sew the orange stitching lines.

Second, put the stiffener leather in the green line area and fold the middle, sew the middle stitching line to get the handle.



Step 5, Then the key step comes. We turn the grain side of A01 above, align the yellow circles together, the green circles together, the red circles together. You will see 2 bag sides overlap each other, sew the 2 bag sides together firstly, then, glue 2 pieces of A08 on the side seam (Glue A08 on grain side, not flesh side). Sew A08 on, and sew the bottom part. After do that, turn the grain side over.

Step 6, Then fold A08's top tip, punch holes, install D rings, snaps, it is very easy.



Step 7, Now another key steps. We install 4 pieces of A10, 2 inner pockets, and Step 2's item together, Please do look at the picture below carefully.

See it? From front to back, the layer order is: A05-A01-A10-A13(A15)-A07. So this part will be a little thick, please try to thin the leather here.

OK, sew the top 2 stitching lines, We had finished this bag.

The shoulder belt is very easy to make, we don't say more.

About the A06, you can use 2 pieces of leather or a piece of plastic board, the function is to strong the bottom and hide the foot nails.



Note

- Cutting line
- — — — Folding line
Orienting line
- - - - - Stitching line
- . - . - Center line